



DRIVER BIT

**WITHSTANDING
HIGH IMPACT!**

IMPACT BALL™ Screwdriver Bit

Shock Absorption

High Durability TOUGH 30X by shock absorption at Ball Torsion part

Absorb shocks

Torsion zone

Torsion zone


TOUGH 30X™

VoHA
Highest Hardness HRC 62

Using New Alloy Steel "VoHA" Highest Hardness 62 HRC

2 way use of Insert and Power!

Impact Ball™ 30mm (1 3/16") is applicable to Power Tools directly and also to Bit Holder.


IMPACT BALL™ Torsion Bit 

30 (1 3/16")

50 (2")

90 (3 1/2")

| Model No. | | mm | inch | Pack QTY | Code |
|-------------|-------|----|---------|----------|---------------|
| IBSQ130P2 | ⊖ SQ1 | 30 | 1 3/16" | 2 | Carded 426037 |
| IBSQ130P25K | SQ1 | 30 | 1 3/16" | 25 | Bulk 426071 |
| IBSQ230P2 | SQ2 | 30 | 1 3/16" | 2 | Carded 426038 |
| IBSQ230P25K | SQ2 | 30 | 1 3/16" | 25 | Bulk 426072 |
| IBSQ330P2 | SQ3 | 30 | 1 3/16" | 2 | Carded 426039 |
| IBSQ330P25K | SQ3 | 30 | 1 3/16" | 25 | Bulk 426073 |
| IBSQ250P25K | SQ2 | 50 | 2" | 25 | Bulk 426088 |
| IBSQ290P10K | SQ2 | 90 | 3 1/2" | 10 | Bulk 426089 |

IMPACT BALL™ Torsion Bit 

30 (1 3/16")


50 (2")

90 (3 1/2")

150 (6")

VESSEL

| Model No. | | mm | inch | Pack QTY | Code |
|--------------|-------|-----|---------|----------|---------------|
| IBPH130P2 | ⊕ PH1 | 30 | 1 3/16" | 2 | Carded 426030 |
| IBPH130P25K | PH1 | 30 | 1 3/16" | 25 | Bulk 426065 |
| IBPH230P2 | PH2 | 30 | 1 3/16" | 2 | Carded 426031 |
| IBPH230P5 | PH2 | 30 | 1 3/16" | 5 | Carded 426033 |
| IBPH230P25K | PH2 | 30 | 1 3/16" | 25 | Bulk 426066 |
| IBPH230P15T | PH2 | 30 | 1 3/16" | 15 | TicTac 426102 |
| IBPH330P2 | PH3 | 30 | 1 3/16" | 2 | Carded 426032 |
| IBPH330P25K | PH3 | 30 | 1 3/16" | 25 | Bulk 426067 |
| IBPH150P25K | PH1 | 50 | 2" | 25 | Bulk 426083 |
| IBPH250P25K | PH2 | 50 | 2" | 25 | Bulk 426084 |
| IBPH250P15T | PH2 | 50 | 2" | 15 | TicTac 426593 |
| IBPH350P25K | PH3 | 50 | 2" | 25 | Bulk 426085 |
| IBPH290P10K | PH2 | 90 | 3 1/2" | 10 | Bulk 426086 |
| IBPH2150P10K | PH2 | 150 | 6" | 10 | Bulk 426087 |

IMPACT BALL™ Torsion Bit 

30 (1 3/16")

50 (2")

90 (3 1/2")

| Model No. | | mm | inch | Pack QTY | Code |
|--------------|-------|----|---------|----------|---------------|
| IBTX1030P25K | ⊛ T10 | 30 | 1 3/16" | 25 | Bulk 426090 |
| IBTX1530P2 | T15 | 30 | 1 3/16" | 2 | Carded 426034 |
| IBTX1530P25K | T15 | 30 | 1 3/16" | 25 | Bulk 426068 |
| IBTX2030P2 | T20 | 30 | 1 3/16" | 2 | Carded 426035 |
| IBTX2030P25K | T20 | 30 | 1 3/16" | 25 | Bulk 426069 |
| IBTX2530P2 | T25 | 30 | 1 3/16" | 2 | Carded 426036 |
| IBTX2530P25K | T25 | 30 | 1 3/16" | 25 | Bulk 426070 |
| IBTX3030P25K | T30 | 30 | 1 3/16" | 25 | Bulk 426091 |
| IBTX1050P25K | T10 | 50 | 2" | 25 | Bulk 426092 |
| IBTX1550P25K | T15 | 50 | 2" | 25 | Bulk 426093 |
| IBTX2050P25K | T20 | 50 | 2" | 25 | Bulk 426094 |
| IBTX2550P25K | T25 | 50 | 2" | 25 | Bulk 426095 |
| IBTX3050P25K | T30 | 50 | 2" | 25 | Bulk 426096 |
| IBTX2090P10K | T20 | 90 | 3 1/2" | 10 | Bulk 426097 |
| IBTX2590P10K | T25 | 90 | 3 1/2" | 10 | Bulk 426098 |


220USB SERIES
MEGADORA SCREWDRIVER
BALL GRIP SCREWDRIVER
SUPER CUSHION SCREWDRIVER
WOOD COMPO SERIES
FOR ELECTRONICS USEFUL TOOLS
DRIVER SET SERIES
OTHER HAND TOOLS
L-WRENCH
IMPACT BALL
NECK-TORSION
DRYWALLER/ QB
INSERT BITS
POWER BITS
POWER BITS/ MAG CATCHER
DOUBLE-ENDED POWER BITS
NUT SETTERS
Bit Holder
PRECISION BITS

220USB SERIES
MEGADORA SCREWDRIVER
BALL GRIP SCREWDRIVER
SUPER CUSHION SCREWDRIVER
WOOD COMPO SERIES
FOR ELECTRONICS USEFUL TOOLS
DRIVER SET SERIES
OTHER HAND TOOLS
L-WRENCH
IMPACT BALL
NECK-TORSION
DRYWALLER/ QB
INSERT BITS
POWER BITS
POWER BITS/ MAG CATCHER
DOUBLE-ENDED POWER BITS
NUT SETTERS
Bit Holder
PRECISION BITS

IMPACT BALL™ Screwdriver Bit

Mag Charge!

Easy Magnetizing and Demagnetizing by friction.



Impact Ball™ Torsion Bit with Mag Charge Holder

Model No. / Code

| | | | | |
|-------------|----------|----|---------|--------|
| IBMG30PH2K5 | ⊕ (5)PH2 | 30 | 1 3/16" | Holder |
| 426074 | | | | |

IMPACT BALL™ Torsion Bit with Mag Charge Holder

Model No. / Code

| | | | | |
|------------|--------------------------|----|---------|--------|
| IBMG30K001 | ⊕ (1)PH1, (1)PH2, (1)PH3 | 30 | 1 3/16" | Holder |
| 426075 | ■ (1)SQ2, (1)SQ3 | | | |

IMPACT BALL™ Torsion Bit with Mag Charge Holder

Model No. / Code

| | | | | |
|------------|--|----|---------|--------|
| IBMG30K002 | ⊕ (1)T10, (1)T15, (1)T20, (1)T25, (1)T30 | 30 | 1 3/16" | Holder |
| 426076 | | | | |

IMPACT BALL™ Torsion Bit with Mag Charge Holder

Model No. / Code

| | | | | |
|-------------|----------|----|----|--------|
| IBMG50PH2K5 | ⊕ (5)PH2 | 50 | 2" | Holder |
| 426077 | | | | |

IMPACT BALL™ Torsion Bit with Mag Charge Holder

Model No. / Code

| | | | | |
|------------|--------------------------|----|----|--------|
| IBMG50K001 | ⊕ (1)PH1, (3)PH2, (1)PH3 | 50 | 2" | Holder |
| 426078 | | | | |

IMPACT BALL™ Torsion Bit with Mag Charge Holder

Model No. / Code

| | | | | |
|------------|--|----|----|--------|
| IBMG50K002 | ⊕ (1)T10, (1)T15, (1)T20, (1)T25, (1)T30 | 50 | 2" | Holder |
| 426079 | | | | |

IMPACT BALL™ Torsion Bit with Mag Charge Holder

Model No. / Code

| | | | | |
|------------|------------------|----|----|--------|
| IBMG50K003 | ⊕ (2)PH2 | 50 | 2" | Holder |
| 426080 | ■ (1)SQ2 | | | |
| | ⊕ (1)T20, (1)T25 | | | |

IMPACT BALL™ Torsion Bit with Mag Charge Holder

Model No. / Code

| | | | | |
|-------------|----------|----|--------|--------|
| IBMG90PH2K5 | ⊕ (5)PH2 | 90 | 3 1/2" | Holder |
| 426081 | | | | |

IMPACT BALL™ Torsion Bit with Mag Charge Holder

Model No. / Code

| | | | | |
|------------|--------------------------|----|--------|--------|
| IBMG90K001 | ⊕ (1)PH1, (1)PH2, (1)PH3 | 90 | 3 1/2" | Carded |
| 426121 | ⊖ (1)SL4, (1)SL6 | | | |

IMPACT BALL™ Torsion Bit with Mag Charge Holder

Model No. / Code

| | | | | |
|------------|---|----|--------|--------|
| IBMG90K002 | ⊕ (1)PH2, ⊖ (1)SL6, ■ (1)SQ2, ⊕ (1)T20, T25 | 90 | 3 1/2" | Carded |
| 426122 | | | | |

IMPACT BALL™ Torsion Bit with Mag Charge Holder

Model No. / Code

| | | | | |
|------------|--------------------|----|--------|--------|
| IBMG90K003 | ⊕ (1)PH2, PH3 | 90 | 3 1/2" | Carded |
| 426123 | ■ (1)SQ1, SQ2, SQ3 | | | |

IMPACT BALL™ Torsion Bit with Mag Charge Holder

Model No. / Code

| | | | | |
|--------------|----------|-----|----|--------|
| IBMG150PH2K5 | ⊕ (5)PH2 | 150 | 6" | Holder |
| 426082 | | | | |

IMPACT BALL™ Torsion Bit Holder

• Holding bits with a C-ring and a strong magnetic force



| Model No. | mm | inch | Pack QTY | Code |
|--------------|-----|--------|----------|--------|
| IBHBM67P1 | 67 | 2 5/8" | 1 Hanger | 426111 |
| IBHBM67P10K | 67 | 2 5/8" | 10 Bulk | 426099 |
| IBHBM150P1 | 150 | 6" | 1 Hanger | 426112 |
| IBHBM150P10K | 150 | 6" | 10 Bulk | 426100 |
| IBHBM300P1 | 300 | 12" | 1 Hanger | 426113 |
| IBHBM300P10K | 300 | 12" | 10 Bulk | 426101 |


IMPACT BALL™ Torsion Bit 10+1 PC. Set in POP-UP CASE



Model No. / Code

| | | | | |
|----------|--|----|---------|--|
| IB11P02U | ⊕ (1)PH1, (1)PH2, (1)PH3 | | | |
| 426114 | ⊖ (1)SL6 | | | |
| | ■ (1)SQ2 | 30 | 1 3/16" | |
| | ⊕ (1)T10, (1)T15, (1)T20, (1)T25, (1)T30 | | | |
| | Magnet Bit Holder 60mm | | | |

IMPACT BALL™ Torsion Bit 30+1 PC. Set in SLIDE CASE



Model No. / Code

| | | | | |
|----------|---|----|---------|--|
| IB31P02U | ⊕ (1)PH1, (1)PH2, (1)PH3 | | | |
| 426115 | ⊕ (1)PZ1, (1)PZ2, (1)PZ3 | | | |
| | ⊖ (1)SL4, (1)SL6, (1)SL8 | | | |
| | ■ (1)SQ1, (1)SQ2, (1)SQ3 | | | |
| | ⊕ (1)T10, (1)T15, (1)T20, (1)T25, (1)T27, (1)T30, (1)T40 | 30 | 1 3/16" | |
| | ⊕ (1)H3, (1)H4, (1)H5, (1)H6, (1)H3/32, (1)H7/64, (1)H1/8, (1)H9/64, (1)H3/16, (1)H7/32, (1)H1/4" | | | |
| | Magnet Bit Holder 50mm | | | |

NECK TORSION™ Screwdriver Bit

The reduced shank makes screw head visible. It's optimum to the fastening application in a narrow space.

Shock Absorption

TORSION ZONE

10x TOUGH™

VoHA
Highest Hardness HRC62
Using New Alloy Steel "VoHA" Highest Hardness 62 HRC

NECK TORSION™ Insert Bit

Model No. mm inch Pack QTY Code

| | | | | | | |
|---------------|-----|------|----|----|--------|--------|
| NTTX10254P25K | T10 | 25.4 | 1" | 25 | Bulk | 426045 |
| NTTX15254P3 | T15 | 25.4 | 1" | 3 | Carded | 426005 |
| NTTX15254P25K | T15 | 25.4 | 1" | 25 | Bulk | 426046 |
| NTTX20254P3 | T20 | 25.4 | 1" | 3 | Carded | 426006 |
| NTTX20254P25K | T20 | 25.4 | 1" | 25 | Bulk | 426047 |
| NTTX25254P3 | T25 | 25.4 | 1" | 3 | Carded | 426007 |
| NTTX25254P25K | T25 | 25.4 | 1" | 25 | Bulk | 426048 |
| NTTX30254P25K | T30 | 25.4 | 1" | 25 | Bulk | 426049 |

NECK TORSION™ Power Bit

Model No. mm inch Pack QTY Code

| | | | | | | |
|--------------|-----|-----|----|----|--------|--------|
| NTPH150P2 | PH1 | 50 | 2" | 2 | Carded | 426017 |
| NTPH150P25K | PH1 | 50 | 2" | 25 | Bulk | 426053 |
| NTPH250P2 | PH2 | 50 | 2" | 2 | Carded | 426018 |
| NTPH250P5 | PH2 | 50 | 2" | 5 | Carded | 426022 |
| NTPH250P25K | PH2 | 50 | 2" | 25 | Bulk | 426054 |
| NTPH350P2 | PH3 | 50 | 2" | 2 | Carded | 426021 |
| NTPH350P25K | PH3 | 50 | 2" | 25 | Bulk | 426055 |
| NTPH275P2 | PH2 | 75 | 3" | 2 | Carded | 426019 |
| NTPH275P10K | PH2 | 75 | 3" | 10 | Bulk | 426062 |
| NTPH2150P1 | PH2 | 150 | 6" | 1 | Carded | 426020 |
| NTPH2150P10K | PH2 | 150 | 6" | 10 | Bulk | 426063 |

NECK TORSION™ Insert Bit

Model No. mm inch Pack QTY Code

| | | | | | | |
|--------------|-----|------|----|----|--------|--------|
| NTPH1254P3 | PH1 | 25.4 | 1" | 3 | Carded | 426001 |
| NTPH1254P25K | PH1 | 25.4 | 1" | 25 | Bulk | 426042 |
| NTPH2254P3 | PH2 | 25.4 | 1" | 3 | Carded | 426002 |
| NTPH2254P5 | PH2 | 25.4 | 1" | 5 | Carded | 426004 |
| NTPH2254P25K | PH2 | 25.4 | 1" | 25 | Bulk | 426043 |
| NTPH2254P25T | PH2 | 25.4 | 1" | 25 | TicTac | 426041 |
| NTPH3254P3 | PH3 | 25.4 | 1" | 3 | Carded | 426003 |
| NTPH3254P25K | PH3 | 25.4 | 1" | 25 | Bulk | 426044 |

NECK TORSION™ Insert Bit

Model No. mm inch Pack QTY Code

| | | | | | | |
|--------------|-----|------|----|----|--------|--------|
| NTSQ1254P3 | SQ1 | 25.4 | 1" | 3 | Carded | 426008 |
| NTSQ1254P25K | SQ1 | 25.4 | 1" | 25 | Bulk | 426050 |
| NTSQ2254P3 | SQ2 | 25.4 | 1" | 3 | Carded | 426009 |
| NTSQ2254P25K | SQ2 | 25.4 | 1" | 25 | Bulk | 426051 |
| NTSQ3254P3 | SQ3 | 25.4 | 1" | 3 | Carded | 426010 |
| NTSQ3254P25K | SQ3 | 25.4 | 1" | 25 | Bulk | 426052 |

NECK TORSION™ Power Bit

Model No. mm inch Pack QTY Code

| | | | | | | |
|-------------|-----|----|----|----|--------|--------|
| NTSQ150P2 | SQ1 | 50 | 2" | 2 | Carded | 426026 |
| NTSQ150P25K | SQ1 | 50 | 2" | 25 | Bulk | 426059 |
| NTSQ250P2 | SQ2 | 50 | 2" | 2 | Carded | 426027 |
| NTSQ250P25K | SQ2 | 50 | 2" | 25 | Bulk | 426060 |
| NTSQ350P2 | SQ3 | 50 | 2" | 2 | Carded | 426028 |
| NTSQ350P25K | SQ3 | 50 | 2" | 25 | Bulk | 426061 |

NECK TORSION™ Power Bit

Model No. mm inch Pack QTY Code

| | | | | | | |
|--------------|-----|----|----|----|--------|--------|
| NTTX1550P2 | T15 | 50 | 2" | 2 | Carded | 426023 |
| NTTX1550P25K | T15 | 50 | 2" | 25 | Bulk | 426056 |
| NTTX2050P2 | T20 | 50 | 2" | 2 | Carded | 426024 |
| NTTX2050P25K | T20 | 50 | 2" | 25 | Bulk | 426057 |
| NTTX2550P2 | T25 | 50 | 2" | 2 | Carded | 426025 |
| NTTX2550P25K | T25 | 50 | 2" | 25 | Bulk | 426058 |

Double-Ended Bit is Our Invention.

2 in 1, Even when one side fails, the other side is drivable.

20x TOUGH™

NECK TORSION™ Double-Ended Power Bit

Model No. mm inch Pack QTY Code

| | | | | | | |
|--------------|-----|----|----|---|--------|--------|
| DEPH1PH150P2 | PH1 | 50 | 2" | 2 | Carded | 426011 |
| DEPH2PH250P2 | PH2 | 50 | 2" | 2 | Carded | 426012 |
| DEPH3PH350P2 | PH3 | 50 | 2" | 2 | Carded | 426013 |
| DEPH2PH250P5 | PH2 | 50 | 2" | 5 | Carded | 426016 |

NECK TORSION™ Double-Ended Power Bit

Model No. mm inch Pack QTY Code

| | | | | | | |
|--------------|---------|----|----|---|--------|--------|
| DEPH2SQ250P2 | PH2/SQ2 | 50 | 2" | 2 | Carded | 426015 |
|--------------|---------|----|----|---|--------|--------|

NECK TORSION™ Double-Ended Power Bit

Model No. mm inch Pack QTY Code

| | | | | | | |
|---------------|---------|----|----|---|--------|--------|
| DEPH2TX2550P2 | PH2/T25 | 50 | 2" | 2 | Carded | 426014 |
|---------------|---------|----|----|---|--------|--------|

Stable fastening in a hollow place

Suitable in a hollow application with a long reach. Stable fastening with supportive plastic spring.

20x TOUGH™

RIB REINFORCED NECK TORSION™ Power Bit

Model No. mm inch Pack QTY Code

| | | | | | | |
|--------------|-----|-----|----|----|--------|--------|
| RTPH2150P1 | PH2 | 150 | 6" | 1 | Carded | 426040 |
| RTPH2150P10K | PH2 | 150 | 6" | 10 | Bulk | 426064 |

NEW TicTac case

The package that is easy to take out bits

NECK TORSION™ Power Bits with MAG ENHANCER™

Model No. mm inch Pack QTY Code

| | | | | | | |
|--------------|-----|----|----|----|--------|--------|
| MGEPH250P10T | PH2 | 50 | 2" | 10 | TicTac | 426105 |
|--------------|-----|----|----|----|--------|--------|

NECK TORSION™ Power Bits with MAG ENHANCER™

Model No. mm inch Pack QTY Code

| | | | | | | |
|---------------|-----|----|----|----|--------|--------|
| MGETX1550P10T | T15 | 50 | 2" | 10 | TicTac | 426106 |
| MGETX2050P10T | T20 | 50 | 2" | 10 | TicTac | 426107 |
| MGETX2550P10T | T25 | 50 | 2" | 10 | TicTac | 426108 |
| MGETX3050P10T | T30 | 50 | 2" | 10 | TicTac | 426109 |
| MGETX4050P10T | T40 | 50 | 2" | 10 | TicTac | 126110 |

Catch a screw by strong magnetic force

Magnetized bits get weakened by heat and vibration from work. Attaching Mag Enhancer maintains the magnetic force. Its holding power has 15 times more magnetic force.

Magnetic Force X15

1/4 inch 6.35mm 1/4 inch 6.35mm *Applicable to smaller diameter than 1/4 inch

MAG ENHANCER™


Model No. mm inch Pack QTY Code

| | | | | | |
|------------|----|-------|----|---------|--------|
| MGEPE2 | 21 | 0.83" | 2 | Blister | 426103 |
| MGEPE25DSP | 21 | 0.83" | 25 | TRAY | 426104 |

220USB SERIES
MEGADORA SCREWDRIVER
BALL GRIP SCREWDRIVER
SUPER CUSHION SCREWDRIVER
WOOD COMP SERIES
FOR ELECTRONICS USEFUL TOOLS
DRIVER SET SERIES
OTHER HAND TOOLS
L-WRENCH
IMPACT BALL
NECK-TORSION
DRYWALLER/ QB
INSERT BITS
POWER BITS
POWER BITS/ MAG CATCHER
DOUBLE-ENDED POWER BITS
NUT SETTERS
Bit Holder
PRECISION BITS

220USB SERIES
MEGADORA SCREWDRIVER
BALL GRIP SCREWDRIVER
SUPER CUSHION SCREWDRIVER
WOOD COMP SERIES
FOR ELECTRONICS USEFUL TOOLS
DRIVER SET SERIES
OTHER HAND TOOLS
L-WRENCH
IMPACT BALL
NECK-TORSION
DRYWALLER/ QB
INSERT BITS
POWER BITS
POWER BITS/ MAG CATCHER
DOUBLE-ENDED POWER BITS
NUT SETTERS
Bit Holder
PRECISION BITS

Drywaller™ Screwdriver BIT/ Ball Grip™ Carrying Bit Holder




REDUCED TIP

Reduced diameter for drywall screw



Using New Alloy Steel "VoHA" Highest Hardness 62 HRC



Insert the bit, and it can be securely held. One hand / One push removal design. Can tighten a screw. (Applicable screw: M4 size or smaller)

Ball Grip™ Carrying Bit Holder




| Model No. | Contents | Inner Ctn. | Code |
|-----------|------------|------------|--------|
| QB22RU | Red x 1 | 1PC/CARDED | 486937 |
| QB22GU | Green x 1 | 1PC/CARDED | 486939 |
| QB22VU | Violet x 1 | 1PC/CARDED | 486940 |
| QB22YU | Yellow x 1 | 1PC/CARDED | 486938 |
| QB22KU | Black x 1 | 1PC/CARDED | 487043 |



Good visibility at the bit tip and superior wear resistance

DRYWALLER™ Insert Bit



| Model No. | mm | inch | Pack QTY | Code |
|--------------|----------|------|-----------|--------|
| DWPH2254P3 | PH2 25.4 | 1" | 3 Carded | 426118 |
| DWPH2254P25K | PH2 25.4 | 1" | 25 Bulk | 426116 |
| DWPH2254P20T | PH2 25.4 | 1" | 20 TicTac | 426119 |

VESSEL Counter Display


IMPACT BALL™ Torsion Bits with Mag Charge Holder Counter Display

| No. | Model No. | Description |
|-----|--------------|---|
| 1 | IBMG30PH2K5 | PH2 x 30 x 5PC. (MG Holder) |
| 2 | IBMG30K001 | PH1, PH2, PH3, SQ2, SQ3 x 5PC. (MG Holder) |
| 3 | IBMG30K002 | T10, T15, T20, T25, T30 x 30 x 5PC. (MG Holder) |
| 4 | IBMG50PH2K5 | PH2 x 50 x 5PC. (MG Holder) |
| 5 | IBMG50K001 | PH1, PH2, PH2, PH2, PH3 x 50 x 5PC. (MG Holder) |
| 6 | IBMG50K002 | T10, T15, T20, T25, T30x 50 x 5PC. (MG Holder) |
| 7 | IBMG90PH2K5 | PH2 x 90 x 5PC. (MG Holder) |
| 8 | IBMG150PH2K5 | PH2X150 x 5PC. (MG Holder) |
| 9 | IBHBM67P10K | Torsion Bit Holder H1/4" x 67 x 10PC. (Bulk) |
| 10 | IBHBM150P10K | Torsion Bit Holder H1/4" x 150 x 10PC. (Bulk) |
| 11 | IBHBM300P10K | Torsion Bit Holder H1/4" x 300 x 10PC. (Bulk) |



Displayer Dimensions: W11.8"(30cm) x D11"(27.8cm) x H18.3"(46.6cm)

IMPACT BALL™ Torsion Bits with Mag Charge Holder Counter Display



Displayer Dimensions: W9"(23cm) x D10.8"(27.5cm) x H7.9"(20cm)

| No. | Model No. | Description |
|-----|-----------------|----------------------|
| 1 | IBPH230P15T | PH2 x 30 x 15PC. |
| 2 | IBPH250P15T-DSP | IBPH250P15T x 15Pack |


NECK TORSION™ Insert Bits Tic Tac Case Counter Display



Displayer Dimensions: W9"(23cm) x D10.8"(27.5cm) x H7.9"(20cm)

| No. | Model No. | Description |
|-----|--------------|--------------------|
| 1 | NTPH2254P25T | PH2 x 25.4 x 25PC. |

DRYWALLER™ Insert Bits Tic Tac Case Counter Display



Display Dimensions: W9"(23cm) x D10.8"(27.5cm) x H7.9"(20cm)

| No. | Model No. | Description |
|-----|------------------|-----------------------|
| 1 | DWPH2254P20T-DSP | DWPH2254P20T x 15Pack |

NECK TORSION™ Power Bits with Mag ENHANCER™ Tic Tac Case Counter Display



Displayer Dimensions: W9"(23cm) x D10.8"(27.5cm) x H7.9"(20cm)

| No. | Model No. | Description |
|-----|----------------|-----------------------|
| 1 | MGEPH250P10T/D | MGEPH250P10T x 15Pack |

| No. | Model No. | Description |
|-----|------------|---|
| 2 | MGETX/SET2 | MGETX1550P10T x 5Pack MGETX2050P10T x 5Pack MGETX2550P10T x 5Pack |


| No. | Model No. | Description |
|-----|------------|---|
| 3 | MGETX/SET4 | MGETX2550P10T x 5Pack MGETX3050P10T x 5Pack MGETX4050P10T x 5Pack |

MAG ENHANCER™ 25PC. Counter Display



| No. | Model No. | Description |
|-----|------------|----------------------|
| 1 | MGEP25-DSP | Mag Enhancer x 25PC. |

MAG ENHANCER™



| Model No. | Overall Length | Inner Ctn. | Code |
|------------|----------------|------------|--------|
| MGEP2 | 21 | 2PC/CARDED | 426103 |
| MGEP25-DSP | 21 | 25PC/TRAY | 426104 |